



03Co
PATENT
#3

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
TRANSMITTAL

In re Application of: David L. Thompson
Drug Delivery Device
Serial No.: 09/781, 750
Filed: February 12, 2001

CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this Response and Transmittal and the paper(s), as described herein are being deposited with the United States Postal Service, in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231, on this 8 day of May 2001.

Jennifer Bommentre
Signature
Jennifer Bommentre
Printed Name

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

We are transmitting herewith the attached:

- X RESPONSE Transmittal
- X RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS
- X SUBSTITUTE DRAWINGS
- X COPY OF NOTICE TO FILE CORRECTED APPLICATION PAPERS
- X Return Postcard

- X Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Amendment Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.
- X Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date May 8, 2001
Beth L. McMahon
BETH L. MCMAHON, Reg. No. 41,987
MEDTRONIC, INC.
710 Medtronic Parkway NE
Minneapolis, Minnesota 55432-5604
Telephone: (763) 514-3066



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): David L. Thompson Docket: P9913.00
Serial No.: 09/781,750 Group Art:
Filed: February 12, 2001 Examiner: --
Title: Drug Delivery Device

Honorable Commissioner
For Patents and Trademarks
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:

In response to the Notice to File Corrected Application papers mailed April 6, 2001, applicants respectfully enclose substitute drawings in accordance with 37 CFR 1.84 for examination.

The Notice cited 37 CFR 1.84 because the drawing sheets originally submitted did not have the correct margins. This has been corrected, and the substitute drawing sheets are enclosed, along with a copy of the Notice.

Respectfully submitted,

David L. Thompson
By their attorneys,

May 8, 2001
Date

Beth L. McMahon
Atty: Beth L. McMahon
Reg. No.41,987
MEDTRONIC, INC.
7000 Central Avenue N.E.
Minneapolis, Minnesota 55432
(763) 514-3066

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/781,750	02/12/2001	David L. Thompson	P-9913.00

CONFIRMATION NO. 8943

FORMALITIES LETTER



Beth L. McMahon
Medtronic, Inc., MS 301
7000 Central Avenue NE
Minneapolis, MN 55432

Date Mailed: 04/06/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*


Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE